

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** URAGARD HT 120W - BASE COMPONENT (PART A)  
**Product code:** 03/120/BB2  
**Company name:** John L Lord & Son Ltd.  
Ainsworth Road  
Bury  
Lancashire  
BL8 2RS  
United Kingdom  
Tel: +44 (0)161 764 4617  
Fax: +44 (0)161 763 1873  
Email: derrickhulett@john-lord.co.uk

## 2. HAZARDS IDENTIFICATION

**Main hazards:** May cause sensitisation by skin contact. Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This preparation meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** LOW BOILING POINT NAPHTHA - UNSPECIFIED - SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM. <1%  
EINECS: 265-199-0 CAS: 64742-95-6  
[-] R10; [Xi] R37; [N] R51/53; [Xn] R65

- TURPENTINE OIL 1-10%  
EINECS: 232-350-7 CAS: 8006-64-2  
[-] R10; [Xn] R20/21/22; [Xi] R36/38; [Sens.] R43; [N] R51/53; [Xn] R65

## 4. FIRST AID MEASURES

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Drench the affected skin with running water for 10 minutes or longer if substance is still on skin. Consult a doctor.

**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.

**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.

**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed. The floor of the storage room must be impermeable to prevent the escape of liquids.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Hazardous ingredients:** TURPENTINE OIL  
UK - 8 hour TWA: 566 mg/m<sup>3</sup>  
UK - 15 min. STEL: 850 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area. The floor of the storage room must be impermeable to prevent the escape of liquids.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Impermeable gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Impermeable protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Liquid

**Colour:** White

**Odour:** Characteristic odour

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Sensitisation:** May cause sensitisation by skin contact.

**11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur. There may be vomiting.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Not biodegradable.

**Bioaccumulative potential:** Bioaccumulation potential.

**Other adverse effects:** Toxic to aquatic organisms. Toxic to soil organisms.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION**

**ADR / RID**

**UN no:** 3082

**ADR Class:** 9

**Packing group:** III

**Classification code:** M6

**Shipping name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (TURPENTINE OIL)

**Labelling:** 9

**Hazard ID no:** 90



**IMDG / IMO**

**UN no:** 3082 **Class:** 9  
**Packing group:** III **EmS:** F-A,S-F  
**Marine pollutant:** . **Labelling:** 9

**IATA / ICAO**

**UN no:** 3082 **Class:** 9  
**Packing group:** III **Packing instructions:** 914  
**Labelling:** 9

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R43: May cause sensitisation by skin contact.  
R52/53: Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**Safety phrases:** S24: Avoid contact with skin.  
S37: Wear suitable gloves.  
S60: This material and its container must be disposed of as hazardous waste.  
S61: Avoid release to the environment. Refer to special instructions / safety data sheets.

**Haz. ingredients (label):** TURPENTINE OIL

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R10: Flammable.  
R37: Irritating to respiratory system.  
R51/53: Toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.  
R65: Harmful: may cause lung damage if swallowed.

**SAFETY DATA SHEET**  
URAGARD HT 120W - BASE COMPONENT (PART A)

R20/21/22: Harmful by inhalation, in contact with skin and if swallowed.

R36/38: Irritating to eyes and skin.

R43: May cause sensitisation by skin contact.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** URAGARD HT 120W - HARDENER COMPONENT (PART B)  
**CAS number:** 9016-87-9  
**Product code:** 03/120/H  
**Company name:** John L Lord & Son Ltd.  
Ainsworth Road  
Bury  
Lancashire  
BL8 2RS  
United Kingdom  
Tel: +44 (0)161 764 4617  
Fax: +44 (0)161 763 1873  
Email: derrickhulett@john-lord.co.uk

## 2. HAZARDS IDENTIFICATION

**Main hazards:** Harmful by inhalation. Irritating to eyes, respiratory system and skin. May cause sensitisation by inhalation.  
**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This preparation meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES) >90%  
CAS: 9016-87-9  
[Xn] R20; [Xi] R36/37/38; [Sens.] R42  
**Contains:** ISOCYANATES

## 4. FIRST AID MEASURES

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Consult a doctor.  
**Ingestion:** Wash out mouth with water. Consult a doctor.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**SAFETY DATA SHEET**  
URAGARD HT 120W - HARDENER COMPONENT (PART B)

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details. If outside do not approach from downwind. If outside keep bystanders upwind and away from danger point. Mark out the contaminated area with signs and prevent access to unauthorised personnel. Turn leaking containers leak-side up to prevent the escape of liquid.

**Environmental precautions:** Do not discharge into drains or rivers. Contain the spillage using bunding.

**Clean-up procedures:** Absorb into dry earth or sand. Transfer to a closable, labelled salvage container for disposal by an appropriate method.

## 7. HANDLING AND STORAGE

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Do not handle in a confined space. Avoid the formation or spread of mists in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

## 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

**Hazardous ingredients:** DIPHENYLMETHANE DIISOCYANATE (ISOMERS AND HOMOLOGUES)  
UK - 8 hour TWA: 0.02 mg/m<sup>3</sup>  
UK - 15 min. STEL: 0.07 mg/m<sup>3</sup>

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**State:** Liquid

**Colour:** Brown

**Odour:** Earthy, musty.

## 10. STABILITY AND REACTIVITY

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Acute effects:** Harmful by inhalation. Irritating to eyes, respiratory system and skin.

**Sensitisation:** May cause sensitisation by inhalation.

**11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be irritation and redness. The eyes may water profusely.

**Ingestion:** There may be soreness and redness of the mouth and throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.  
Exposure may cause coughing or wheezing.

**12. ECOLOGICAL INFORMATION**

**Mobility:** Readily absorbed into soil.

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION**

**Hazard symbols:** Harmful.



**Risk phrases:** R20: Harmful by inhalation.

**SAFETY DATA SHEET**  
URAGARD HT 120W - HARDENER COMPONENT (PART B)

R36/37/38: Irritating to eyes, respiratory system and skin.

R42: May cause sensitisation by inhalation.

**Safety phrases:** S23: Do not breathe fumes.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

S63: In case of accident by inhalation, remove casualty to fresh air and keep at rest.

S60: This material and its container must be disposed of as hazardous waste.

**Precautionary phrases:** Contains isocyanates. See information supplied by the manufacturer.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R20: Harmful by inhalation.

R36/37/38: Irritating to eyes, respiratory system and skin.

R42: May cause sensitisation by inhalation.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** URAGARD HT 120W - AGGREGATE COMPONENT (PART C)  
**Product code:** 03/120/AG2  
**Company name:** John L Lord & Son Ltd.  
Ainsworth Road  
Bury  
Lancashire  
BL8 2RS  
United Kingdom  
Tel: +44 (0)161 764 4617  
Fax: +44 (0)161 763 1873  
Email: derrickhulett@john-lord.co.uk

## 2. HAZARDS IDENTIFICATION

**Main hazards:** Irritating to respiratory system. Risk of serious damage to eyes.  
**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This preparation meets the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

**Hazardous ingredients:** CRYSTALLINE SILICA 50-70%  
[Xi] R37  
• CALCIUM HYDROXIDE 1-10%  
EINECS: 215-137-3 CAS: 1305-62-0  
[Xi] R38; [Xi] R41

## 4. FIRST AID MEASURES

**Skin contact:** Remove all contaminated clothes and footwear immediately unless stuck to skin. Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes. Transfer to hospital for specialist examination.  
**Ingestion:** Wash out mouth with water. Do not induce vomiting. If conscious, give half a litre of water to drink immediately. Consult a doctor.  
**Inhalation:** Remove casualty from exposure ensuring one's own safety whilst doing so. Consult a doctor.

**5. FIRE-FIGHTING MEASURES**

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used. Use water spray to cool containers.

**Exposure hazards:** In combustion emits toxic fumes.

**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

**6. ACCIDENTAL RELEASE MEASURES**

**Personal precautions:** Mark out the contaminated area with signs and prevent access to unauthorised personnel. Do not attempt to take action without suitable protective clothing - see section 8 of SDS. Do not create dust.

**Environmental precautions:** Do not discharge into drains or rivers.

**Clean-up procedures:** Transfer to a closable, labelled salvage container for disposal by an appropriate method.

**7. HANDLING AND STORAGE**

**Handling requirements:** Avoid direct contact with the substance. Ensure there is sufficient ventilation of the area. Avoid the formation or spread of dust in the air.

**Storage conditions:** Store in cool, well ventilated area. Keep container tightly closed.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Self-contained breathing apparatus must be available in case of emergency. Respiratory protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Tightly fitting safety goggles. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Powder

**Colour:** Off-white

**Odour:** Characteristic odour

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION**

**Acute effects:** Irritating to respiratory system. Risk of serious damage to eyes.

**11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be irritation and redness at the site of contact.

**Eye contact:** There may be pain and redness. The eyes may water profusely. There may be severe pain. The vision may become blurred. May cause permanent damage.

**Ingestion:** There may be soreness and redness of the mouth and throat. Nausea and stomach pain may occur.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**12. ECOLOGICAL INFORMATION**

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION****ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION**

**Hazard symbols:** Irritant.



**Risk phrases:** R37: Irritating to respiratory system.  
R41: Risk of serious damage to eyes.

**SAFETY DATA SHEET**  
URAGARD HT 120W - AGGREGATE COMPONENT (PART C)

**Safety phrases:** S22: Do not breathe dust.  
S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.  
S39: Wear eye / face protection.

**Haz. ingredients (label):** CRYSTALLINE SILICA; WHITE PORTLAND CEMENT

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Risk phrases used in s.3:** R37: Irritating to respiratory system.

R38: Irritating to skin.

R41: Risk of serious damage to eyes.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.

## 1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

**Product name:** URAGARD HT 120W - PIGMENT COMPONENT (PART D)  
**Company name:** John L Lord & Son Ltd.  
Ainsworth Road  
Bury  
Lancashire  
BL8 2RS  
United Kingdom  
Tel: +44 (0)161 764 4617  
Fax: +44 (0)161 763 1873  
Email: derrickhulett@john-lord.co.uk

## 2. HAZARDS IDENTIFICATION

**Workplace exposure limit:** This substance does not have a workplace exposure limit.  
**PBT:** This substance is not identified as a PBT substance.  
**Directive 1999/45/EC:** This does not meet the criteria for classification as dangerous in accordance with Directive 1999/45/EC.

## 3. COMPOSITION / INFORMATION ON INGREDIENTS

## 4. FIRST AID MEASURES

**Skin contact:** Wash immediately with plenty of soap and water.  
**Eye contact:** Bathe the eye with running water for 15 minutes.  
**Ingestion:** Wash out mouth with water.  
**Inhalation:** Consult a doctor.

## 5. FIRE-FIGHTING MEASURES

**Extinguishing media:** Suitable extinguishing media for the surrounding fire should be used.  
**Exposure hazards:** In combustion emits toxic fumes.  
**Protection of fire-fighters:** Wear self-contained breathing apparatus. Wear protective clothing to prevent contact with skin and eyes.

## 6. ACCIDENTAL RELEASE MEASURES

**Personal precautions:** Refer to section 8 of SDS for personal protection details.  
**Environmental precautions:** Do not discharge into drains or rivers.  
**Clean-up procedures:** Wash the spillage site with large amounts of water.

## 7. HANDLING AND STORAGE

**Handling requirements:** Avoid the formation or spread of dust in the air.  
**Storage conditions:** Store in cool, well ventilated area.

**8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

**Engineering measures:** Ensure there is sufficient ventilation of the area.

**Respiratory protection:** Respiratory protective device with particle filter.

**Hand protection:** Protective gloves.

**Eye protection:** Safety glasses. Ensure eye bath is to hand.

**Skin protection:** Protective clothing.

**9. PHYSICAL AND CHEMICAL PROPERTIES**

**State:** Powder

**Colour:** Various

**Odour:** Odourless

**10. STABILITY AND REACTIVITY**

**Stability:** Stable under normal conditions.

**Conditions to avoid:** Heat.

**Materials to avoid:** Strong oxidising agents. Strong acids.

**Haz. decomp. products:** In combustion emits toxic fumes.

**11. TOXICOLOGICAL INFORMATION****11. TOXICOLOGICAL INFORMATION (SYMPTOMS)**

**Skin contact:** There may be mild irritation at the site of contact.

**Eye contact:** There may be irritation and redness.

**Ingestion:** There may be irritation of the throat.

**Inhalation:** There may be irritation of the throat with a feeling of tightness in the chest.

**12. ECOLOGICAL INFORMATION**

**Persistence and degradability:** Biodegradable.

**Bioaccumulative potential:** No bioaccumulation potential.

**Other adverse effects:** Negligible ecotoxicity.

**PBT identification:** This substance is not identified as a PBT substance.

**13. DISPOSAL CONSIDERATIONS**

**Disposal operations:** Transfer to a suitable container and arrange for collection by specialised disposal company.

**NB:** The user's attention is drawn to the possible existence of regional or national regulations regarding disposal.

**14. TRANSPORT INFORMATION**

**ADR / RID**

**UN no:** Not Classified.

**IMDG / IMO**

**UN no:** Not Classified.

**IATA / ICAO**

**UN no:** Not Classified.

**15. REGULATORY INFORMATION**

**Hazard symbols:** No significant hazard.

**Note:** The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

**16. OTHER INFORMATION**

**Other information:** This safety data sheet is prepared in accordance with Regulation (EC) No 1907/2006.

\* indicates text in the SDS which has changed since the last revision.

**Legal disclaimer:** The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. This company shall not be held liable for any damage resulting from handling or from contact with the above product.